| •  | Hits | Search Text  | DBs   | Time Stamp          |
|----|------|--|---|---------------------|
| 1  | 86   | 5579379.URPN.  | USPAT   | 2004/03/11<br>08:55 |
| 2  | 10   | <pre>cpp and (((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP)))</pre> | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/11<br>08:53 |
| 3  | 98   | ((called with number) or (digit with analy\$4)) with (select\$4 adj2 trunk)                    | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 07:55               |
| 4  | 39   | (((tandem or tandemed or tandeming) adj2 call) and (AIN or (SSP and SCP)))                     | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/11<br>07:54 |
| 5  | 174  | (tandem or tandemed or tandeming) adj2 call  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/11<br>07:29 |
| 6  | 9    | <pre>cpp and (((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP)))</pre> | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/11<br>07:26 |
| 7  | 2    | ("5752186").PN.  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/11<br>07:25 |
| 8  | 2    | ("5933778").PN.  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2004/03/09<br>13:01 |
| 9  | 6    | (subscriber adj profile) same (tandem or tandemed or tandeming)                                | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>14:10 |
| 10 | 8    | (("5933778") or ("5905789") or ("5579379") or ("5757903")).PN.                                 | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>12:44 |
| 11 | 8    | (("5933778") or ("5905789") or ("5579379") or ("5757903")).PN.                                 | DEKMENT; IRM IDR                                  | 2003/09/05<br>12:43 |
| 12 | 0    | (reorder and 379/\$.ccls.) and (application adj node)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>09:01 |
| 13 | 21   | (reorder and 379/\$.ccls.) and (adjunct)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>09:01 |
| 14 | 189  | (called with number) with (select\$3 with trunk)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>09:00 |
| 15 | 330  | reorder and 379/\$.ccls.   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>09:00 |
| 16 | 33   | (called with number) with (selection with trunk)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>08:40 |
| 17 | 7    | (called adj party with number) with (selection with trunk)                                     |   | 2003/09/05<br>08:35 |

|    | Hits | Search Text  | DBs   | Time Stamp ▽        |
|----|------|--|---|---------------------|
| 18 | 1    | ((VLR and HLR and (CPP)) ) and ((pre-paid) or (prepaid))   | DERWENT; IBM_TDB                                  | 2003/09/05<br>08:33 |
| 19 | 7    | (VLR and HLR and (CPP))  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/05<br>08:27 |
| 20 | 1    | ("5905789").PN.  | USPAT; US-PGPUB;<br>EPO; JPO;<br>IBM_TDB          | 2003/09/05<br>08:21 |
| 21 | 4    | (("6397055") or ("5905789") or<br>("6175574") or ("6219551") or<br>("5905789")).PN.                                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>IBM_TDB          | 2003/09/05<br>07:21 |
| 22 | 1    | ("5933778").PN.  | USPAT; US-PGPUB;<br>EPO; JPO;<br>IBM_TDB          | 2003/09/05<br>07:21 |
| 23 | 4    | (("6397055") or ("5905789") or<br>("6175574") or ("6219551") or<br>("5905789")).PN.                                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>IBM_TDB          | 2003/09/05<br>07:20 |
| 24 | 7    | (("5355406") or ("5375161") or<br>("5430719") or ("5905789") or<br>("5982858") or ("6011834") or<br>("6215857")).PN. | USPAT; US-PGPUB;<br>EPO; JPO;<br>IBM_TDB          | 07:18               |
| 25 | 0    | <pre>(trunk adj group) with all with ((voice adj mail) or voicemail)</pre>   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 16:58               |
| 26 | 6    | (trunk adj group) with ((voice adj mail) or voicemail)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 16:58               |
| 27 | 141  | (trunk) with ((voice adj mail) or voicemail)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 16:58               |
| 28 | 0    | (trunk) with all with ((voice adj mail) or voicemail)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/04<br>16:58 |
| 29 | 6    | buhrmann.in. and 379/\$.ccls.  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/04<br>16:56 |
| 30 | 46   | 379/211.03.ccls.   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/04<br>16:52 |
| 31 | 101  | failed) and SCP  | DERWENT; IBM_TDB                                  | 2003/09/03<br>15:56 |
| 32 | 146  | message with (SCP or database)<br>same (error or successfully or<br>failed) and SCP                                  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>15:56 |
| 33 | 1    | 2002-137460.NRAN.  |   | 2003/09/03<br>10:43 |
| 34 | 43   |  |   | 2003/09/03<br>10:42 |

| •  | Hits | Search Text   | DBs   | Time Stamp ▽        |
|----|------|---|---|---------------------|
| 35 | 2    | ((digit with (analyzing or analysis)) with called) same (error or successfully or failed) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 10:41               |
| 36 | 12   | ((digit with (analyzing or analysis)) with called) and (SCP)                              | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 10:32               |
| 37 | 92   | (digit with (analyzing or analysis)) and (SCP)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>10:18 |
| 38 | 10   | octet\$1 same (application with node)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>10:17 |
| 39 | 20   | octet\$1 same (scp)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>10:01 |
| 40 | 5    | octet\$1 same SS7 same<br>(application with node)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 09:59               |
| 41 | 4    | octet\$1 same SS7 same (service with node)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:58 |
| 42 | 0    | octet\$1 same SS7 same (AIN adj<br>processing)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:56 |
| 43 | 27   | octet\$1 same SS7 same (node)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:55 |
| 44 | 4    | tandem adj parameter  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 09:55               |
| 45 | 42   | ANSI and octet\$1 same SS7  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:28 |
| 46 | 219  | ANSI and octet\$1 and (parameter)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:18 |
| 47 | 39   |   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:18 |
| 48 | 9    | ANSI and octet and (AIN with trigger)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:14 |
| 49 | 39   | ANSI and octet and tandem\$4  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:12 |
| 50 | 0    | ANSI and octet same (AIN with trigger)  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>09:12 |
| 51 | 0    | inior and bringre decee   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>08:45 |

| ~  | Hits   | Search Text   | DBs   | Time Stamp          |
|----|--------|---|---|---------------------|
| 52 | 321    | ANSI and octet  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/03<br>08:45 |
| 53 | 193    | ANSI-41   | DERWENT; IBM TDB                                  | 2003/09/02<br>15:51 |
| 54 | 124    | ANSI-41 and HLR   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 15:51               |
| 55 | 11     | ansi with redirection   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 115.50              |
| 56 | 24     | (incoming adj call) same<br>(digit adj analysis)                          | DERWENT; IBM TDB                                  | 2003/09/02<br>15:37 |
| 57 | 94     | (incoming adj call) same<br>(tandem or tandemed or<br>tandeming)          | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 15:20               |
| 58 | 0      | tandeming adj failure   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/02<br>13:53 |
| 59 | 58     | ansi and octet and 379/\$.ccls.   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/02<br>13:51 |
| 60 | 444863 | tandeming failure   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/02<br>13:51 |
| 61 | 320    | ansi and octet and "3"  | DERWENT; IBM TDB                                  | 2003/09/02<br>13:20 |
| 62 | 1      | (incoming adj call adj leg)<br>same (tandem or tandemed or<br>tandeming)  | DEKMENI; IBM IDB                                  | 10:39               |
| 63 | 0      | (incoming adj call adj legs)<br>same (tandem or tandemed or<br>tandeming) | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/09/02<br>10:37 |
| 64 | 2      | ("6198814").PN.   | DERWENT; IBM_TDB                                  | 2003/08/18<br>11:18 |
| 65 | 187    | ((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP)) | DERWENT; IBM_TDB                                  | 2003/08/11<br>08:45 |
| 66 | 0      | cpp and ppd and ons   | DERWENT; IBM_TDB                                  | 2003/08/11<br>08:45 |
| 67 | 5      | cpp and ppd   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/08/11<br>08:45 |
| 68 | 5      | cpp and (cpp and ppd)   | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/08/11<br>08:45 |

-

|    | Hits | Search Text            | DBs   | Time Stamp ▽ |
|----|------|------------------------|---|--------------|
| 69 | 549  | tandeming) with trunk  | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 08:07        |
| 70 | О    | predesignat@3          | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 07:54        |
| 71 | 549  | (tandem or tandemed or | USPAT; US-PGPUB;<br>EPO; JPO;<br>DERWENT; IBM_TDB | 2003/08/11   |